

Structures for Improving Smallholder Chicken Production In Bangladesh. Breeding Strategy¹

Hans Askov Jensen
Poultry Development
askov@poultry-development.dk

Introduction

The framework for rural poultry development in Bangladesh has been developed through a historically long learning-by-doing process. The two main actors in this process are: 1) a national NGO, Bangladesh Rural Advancement Committee (BRAC) and 2) the Government through Department of Livestock Services (DLS).

In the late 1970s BRAC identified poultry rearing as a source of income for the landless, particularly destitute women. In the early 1980s BRAC and DLS initiated a participatory action research programme aimed at increasing the productivity of small flocks of hens in village conditions and to develop a replicable smallholder model.

In 1987 the experiences of poultry development and the Government Food For Aid for destitute women were integrated into an independent programme 'Income Generation for Vulnerable Group Development Programme'. The results were very promising and other development programmes build on the same concept followed, but were further refined based on previous experiences.

Table 1. Summary of poultry activities and projects

Project	SLDP I	PLDP	PNP	SLDP II	IGVGDP	RDP/BRAC
Project Period and Donors	1992-98 IFAD/ Danida	1998-02 ADB/ Danida	1997-01 World Bank	1999-03 Danida	1987- WFP	1986- Continue as a BRAC activity
Thanas covered	80	89	40	26	Country- wide	Country- wide
Beneficiaries: number and type	Landless poor women 400,000 HHs	Landless and poor women 363,000 HHs	Poorest HHs with a child below 2 years or pregnant women 69,000 HHs	Primary poor women 109,000 HHs	Very poor women. 400,000 HHs.	Rural poor. 1.2 million HHs

Kazi Abdul Fattah(1999) . Director General of DLS

HHs: House Holds

Thana: Administrative unit. Bangladesh is divided into some 460 Thanas.

¹ ICAR Technical Series No. 3

Workshop on Developing Breeding Strategies for Lower Input Animal Production Environments.

Bella, Italy. 22-25 September 1999.

Editors: S. Gallal, J. Boyazoglu and K. Hammond. January 2000.

Currently ten national NGOs are involved in the smallholder concept and the Governmental institutions; extension, education and research are in the process of being integrated in the smallholder concept. However, BRAC is by far the leading NGO in the development of a smallholder poultry sector. The possibilities for women's participation in poultry development are according to Dr. Saleque and Shams Mustafa (1996) (BRAC) as follows:

1. About 70 % of the rural landless women are directly or indirectly involved in poultry rearing activities. Traditionally these women have some experience in poultry rearing, which therefore represents skills known to them.
2. BRAC has proved that homestead poultry rearing is economically viable. If the landless women are properly trained, supported with credit and other necessary inputs and made to operate under supervision of extension workers of both Government and BRAC and the Government machinery are activated to provide for the delivery of services, the poultry sector could be one of the most productive sectors.
3. Poultry rearing is suitable for widespread implementation as it is of low cost, require little skills, is highly productive and can be incorporated into the households work.
4. There are few or no job opportunities for the landless- disadvantaged women. Poultry is the only activity in which a large number of landless women can participate.
5. In the small-scale poultry units, which support the landless, production per bird may be low, but distribution of benefits will be more equal and have great human development impact.
6. Poultry rearing is a culturally acceptable, technically and economically viable. Moreover, the ownership of poultry is entirely in the hands of women. This is an asset over which the poor women actually have control. This activity can therefore play an important role in poverty alleviation, which is the main goal of BRAC.

BRAC has taken the advantages of using poultry as an instrument in its poverty alleviation programme. BRAC had, in 1997, 2.2 million members of which more than 1.2 million were involved in poultry activities. Table 2 shows the development of BRAC's poultry activities.

Table 2. Component wise poultry programme participants – cumulative numbers 1990-97

Component	1990	1991	1992	1993	1994	1995	1996	1997
1. Poultry worker(1)	3,841	5,000	7,504	22,788	25,033	31,135	33,572	41,228
2. Chick rearer	650	1,106	1,952	5,836	8,244	8,453	10,986	14,723
3. Smallholder(2)	56,664	105,051	191,457	455,441	638,104	802,906	840,488	1,190,490
4. Pullet rearer							1,308	2,260
5. Model rearer(PS)							7,761	11,195
6. Egg collectors				2,255	2,284	2,384	2,629	2,798
7. Hatchery owners				327	454	955	1,115	1,349
8. Feed seller	24	52	104	807	1,515	2,800	2,347	2,450
9. Cage rearers							50	5,000
10. Broiler rearers							25	1,000
Total	61,179	111,209	201,017	487,454	675,634	847,633	900,281	1,272,493

Saleque (1999)

(1) Para vet.

(2) Key Rearer with 10 hens

BRAC has established a commercial wing for supplying inputs to its members.

The Smallholder Model

The smallholder described below is intended to provide the background for understanding the formulated breeding strategy. For a more functional description of the model reference is made to Jensen (1996) and Saleque(1996 and 1999)

Objectives and Target Groups

The smallholder sector is built up by the implementation of a number of development projects. The development objectives of the Government are improving the living standards and welfare of the poorer strata of the rural population. The development objectives of the projects are a sustainable increase in the smallholder poultry sector and thereby support to especially women from the poorest and landless households. The immediate objectives are improved husbandry practice and increased institutional capacity of Government institutions and the participating NGOs leading to increased productivity.

The target groups are women belonging to the poorest segment of the rural population. The potential beneficiaries are all selected on poverty criteria.

Development Strategy

The common features of a smallholder development project are: 1) a component directly targeting the beneficiaries, the NGO component and 2) a component targeting institutional development, the DLS component.

The smallholder model is based on creating an enabling environment, inter alia, an environment in which all inputs and services needed are available in the village to minimise the risks for investment in a smallholder activity. Furthermore, no subsidies are involved at the user level; all the activities operate on free market condition.

A poultry activity is compulsory for the first loan, but after repayment of the first loan the beneficiary is entitled to a new loan and is this time free to select an activity of her own choice.

The NGO component comprises: 1) establishing of area offices; one for each 3,000 to 6,000 members, 2) selection of potential beneficiaries, 3) organise village groups, 4) commence a saving programme, 5) training of beneficiaries, 6) create an enabling environment by establishing income generation activities such as input suppliers, veterinary service activities, and marketing, 7) provide loans and assist each the beneficiary in establishing an income generation activity. 8) technical support in operation of the different activities.


The establishing cost and the first 3 years operational costs of an area office are usually covered by the project (Donor). After that, the profit margin from loans, sales

of inputs and service fees from the 3,000 to 6,000 members is enough to cover the NGO's cost of maintaining and operating the office.

The DLS's role, as the implementing agency, is to coordinate, monitor, control and to provide the technical support. An important activity in this respect is to accumulate experiences from previous and ongoing projects and ensure that these experiences are reflected in formulation of new projects.

In ongoing and planned projects there are DLS- components as: 1) activities and facilities for implementation of a breeding programme, 2) activities and facilities for establishing a Management Information System, 3) activities and facilities for establishing an international training institution, 4) budgets for applied research activities and a comprehensive human resource development programme.

BRAC' Poultry Programme. Modified after Saleque 1999



BRAC's broiler and layers in cages are not include in the above flowchart. The activities shown in the flowchart have to be compared with the numbers in table 2. For instance there are more than 14,000 chick reares, each rearing some 250 chickens 4 times a year, making an annual production of 14 million 8 weeks old pullets.

Breeding Strategies

Context

The end user, the smallholder, keeps a small flock of chickens, which normally is composed of 4-6 high yielding variety (HYV) hens, 1 HYV cock and 3-4 Desi hens. The Desi hens are used in the traditional way: incubating, rearing and laying (reference is made to Jensen 1996). The HYV hens are used for production of table eggs and to some extent to production of hatching eggs. The hens are scavenging for their main part of feed, but especially the HYV hens are also provided with supplemental feed.

The distribution flow is rather complicated, because it is divided into a number of small entrepreneurs: Suppliers of PS > Chicken Rearers > Pullet Rearers > Model Rearers > Mini Hatcheries > Chicken Rearers > Key Rearers.

The HYV chickens are sold by the Chicken Rearers to the Smallholders at an age of 8 weeks or produced by the smallholders (Key Rearers) themselves.

The DOCs (Day Old Chickens) are provided to the Chicken Rearers by either 1) the mini hatcheries, 2) the Government Poultry Farms, 3) the NGO hatcheries, 4) private hatcheries or 5) by the Smallholder herself by using the Desi as mother hens.

Table 3. Sources of Parent Stock (PS).

Sources of PS	Breeds	Replacement of PS	Customers
Government Poultry Farms, GPF	White Leghorn, RIR, Fayomi.	Reproduction of purelines	Model Rearers
NGO-Hatcheries	Hybrids(Commercial PS)	Imported	Chicken Rearers
Private Hatcheries	Hybrids(Commercial PS)	Imported	Chicken Rearers through NGOs
Model Rearers	RIR males and Fayomi females	Purchased from GPF	Chicken Rearers through Mini Hatcheries
Key Rearers	Exotics and crosses with Desi	Purchased from Chicken Rearers or reproduction of own stocks	Other villagers

Development of Breeding Strategies

The development of the different sources of parent stocks has been driven by the demand of day old chickens. A breeding strategy was formulated in the mid 1990s based on a central government breeding farm planned to produce parent stock to Sonali chickens, a cross between RIR males and Fayoumi females and parent stock to produce a cross between Fayomi males and commercial hybrids as the female line. The implementation of the breeding strategy has fallen behind the development and the NGOs had found other ways to satisfy the demand of day old chickens and this may not be the optimal solution for the enduser.

A suitable breeding strategy for the smallholder concept is rather complicated. In the reproduction and multiplication links the hens are kept in confinement and fed with balanced feed. Consequently, egg production traits are the most important for a viable operation. But end user, the smallholder with 10 hens, keeps the hens under semi-scavenging conditions and consequently such traits as scavenging traits and survival traits are the most important. A way to solve that, is use of specialised breeds or lines, as shown by Moav (1966) in which the reproduction traits are conveyed through the female line while the traits important for the end product are conveyed through the male lines.

An experiment commenced in 1993 where different exotic hens were tested under semi-scavenging conditions. One of the breed combinations were a cross between commercial hybrid as female line and an improved breed (Fayomi, RIR or WL) as male line. The hypothesis was, that use of commercial hybrids as parent hens would satisfy the multiplication links with respect to high egg yield while use of another breed as male would satisfy the enduser with respect to good scavenger and survival traits. Another breed combination was a cross between RIR-male and Fayomi-female (SONALI), a combination known to have high performance values in the semi-scavenging system (Amber 1986). A summary of the results is shown in table 4.

Table 4. Performance of experimental hens reared under semi scavenging condition according to breed combinations.


Parameters	Breed combinations (Least square mean values)							
	AB (Lohmann brown)	(Ax RIR) x Fayoumi	Fayoumi x AB	RIR x AB	RIR x Fayoumi	RIR x WLH	(RIR x Fayoumi) x AB	WLH x AB
1. Age of first egg (week)	34.5	32	32	34	33	32	32.5	34
2 Eggs / hen / year * (hen day). Actual no of eggs per hen. (hen day)	140 ^{ab} 86 ^b	137 ^b 104 ^{ab}	125 ^b 86 ^b	139 ^{ab} 105 ^{ab}	156 ^a 119 ^a	128 ^b 97 ^b	141 ^{ab} 86 ^b	139 ^{ab} 99 ^{ab}
3. Mortality % (excluding predator loss)	22.14 ^{ab}	35.04 ^b	27.59 ^{ab}	32.64 ^b	15.98 ^a	25.21 ^{ab}	21.20 ^{ab}	22.88 ^{ab}
4. Mortality % due to predator	1.38	0.87	1.40	2.71	2.09	0	5.31	2.61
5. Supplementary energy Kcal. / bird / day	146 ^b	122 ^a	136 ^{ab}	144 ^b	130 ^a	134 ^{ab}	146 ^b	135 ^{ab}
6. Supplementary protein (g) / bird / day	7.3 ^b	6.0 ^a	6.9 ^b	7.2 ^b	6.4 ^a	6.6 ^{ab}	7.1 ^b	6.6 ^{ab}
7. Supplementary feed cost (Taka) / bird / laying year	202.51 ^b	177.44 ^a	193.72 ^{ab}	203.18 ^b	184.20 ^a	190.62 ^a b	205.32 ^b	192.10 ^{ab}
8. Gross margin (Taka) / hen up to one laying year (Income - Cost)	134.66 ^b	169.83 ^{ab}	113.08 ^c	133.13 ^b	205.17 ^a	145.53 ^b	132.09 ^b	154.65 ^b
9. Egg production period (Months)	8.54	9.84	9.17	9.37	9.84	9.13	8.74	8.97

Rahman et al(1996)

Figures with same or no superscript in a row are not significantly different (P<0.05).

* Corrected for 12 months egg production period.

**Potential Breeding Strategy
Commercial Hybrids as Parent Hens**



The outcome of the experiment (Rahman et al. 1996) shows that the SONALI hens had the highest egg production and the lowest mortality rate. Although, these performances were not significant different from some of the combinations with hybrids as the female combination it was decided to base the breeding strategy on production of SONALI hens. One of the reasons for that was that SONALI in several experiments had proven to be a superior combination.

Table 5. Rate of lay, % for pure breed and crosses, and the hybrid vigour.

Feeding system	RIR	Fayomi	SONALI	Hybrid vigour
Free access, in confinement	46	49	50	+5%
Scavenging + 75g supp.feed	19	20	33	+69%
Scavenging + 25g supp.feed	12	10	18	+64%

Rahman (1996)

A breeding strategy for the semi-scavenging concept was outlined by Jensen(1996a). ‘In general, breeding strategies in developing countries have focused far too much on the genetic potential of the breeds. It is, however, stressed, that improved breed can never be a substitute for bad management.

The objectives of a breeding strategy for the semi-scavenging poultry holdings are:

1. To maintain breeding stocks with a genetic potential which matches the best smallholders' management skills for producing eggs on the basis of behaviour conducive to semi-scavenging conditions. Consequently, the management skills

and not the genetic potential will be the limiting factor in improving the productivity.

2. To maintain the breeding stock under circumstances which give the best health security and produce parent stocks with a uniform antibody status in order to obtain the best immunity from the vaccination program.
3. To have a multiplication and distribution system which optimises the financial results for the end users, in this case the smallholders, taking the productivity in the multiplication units into due consideration.

The semi-scavenging model is in fact an integrated production chain and all links involved shall be considered in the formulation of a breeding strategy. Breeders and Chicken Rearers, where the birds are kept in confinement and fed with balanced feed, must inter alia also be viable units. In reproduction links, the egg yield and feed efficiency are the most important traits, while at the smallholder level traits as survival rate and scavenging behaviour are more important.

Indigenous breeds are developed and adapted to the local environment and not to produce eggs in confinement with free access to balanced feed. Consequently, they will have a lower productivity than improved breed when kept in confinement as they are in the multiplication units. However, a programme where indigenous breeds are used as parent male will not effect the viability of the multiplication units.'

In table 6 is the production cost for producing day old chickens calculated for the breed combinations: commercial parent stock, commercial parent hens used as grand parent stock (Hybrids), and Fayomi.

Table 6. Cost calculation of Day Old Chicken(DOC) with different parent hens.

Assumptions	Fayoumi	Hybrid	Comm. PS
Price, day old PS, taka	30	40	200
Rearing , feed, kg	9	9	9
Laying .feed,kg	46	46	46
Other cost, % of feed cost,	0,4	0,4	0,4
Feed price, taka/kg	12	12	12
Survival rate, rearing, %	0,9	0,9	0,9
Survival rate, laying, %	0,9	0,9	0,9
Egg yield, number per hh	200	260	240
Ratio of hatching eggs	0,75	0,9	0,9
Utilization of hatching eggs	0,95	0,95	0,75
Hatchability of egg set	0,75	0,75	0,75
Price for DOC,unsexed, taka	12	12	15
Price for table eggs, taka/egg	3	3	3
Cost calculation, per hen.	Fayoumi	Hybrid	Comm. PS
Day old PS	33,33	44,44	222,22
Feed	660,00	660,00	660,00
Other cost	264,00	264,00	264,00
Total cost	957,33	968,44	1.146,22
Production			
Number of eggs	200,00	260,00	240,00
Number of hatching eggs	150,00	234,00	216,00
Unutilised hatching eggs	7,50	11,70	54,00
Number of table eggs	57,50	37,70	78,00
Number of DOC	106,88	166,73	121,50
Income, taka			
Sales of DOC	1.282,50	2.000,70	1.822,50
Sales of table eggs	172,50	113,10	234,00
Total sales	1.455,00	2.113,80	2.056,50
Profit, taka per hen	497,67	1.145,36	910,28
Production cost per DOC	8,96	5,81	9,43
Note: The actual production costs may differ from this calculation, but the differences will be very close to the figures shown above.			
By using hybrids as parent hens instead of commercial parent stocks the overall cost will be reduced with 3 to 4 taka per DOC. Fayomi and commercial parent stock have nearly the same production cost.			

Jensen(1996). Not published

The preliminary conclusions to be drawn are:

1. The semi-scavenging model developed in Bangladesh can provide an environment and management skills to utilise the genetic potential of breeds with a higher value than the capacity of randomly selected HYV breeds.
2. There is p.t. no rational behind use of commercial layers under semi-scavenging conditions at smallholder level. However, use of commercial

hybrids as parent hens will enhance the viability of the rural parent farms and a combination of hybrid parent hens and a HYV male may be a viable solution for smallholders.

3. The SONALI (RIRxFayomi) breed has a remarkable high performance under semi-scavenging conditions compared with other breeds.

An appropriate breeding strategy may be the use of commercial brown hybrids as parent hens and a coloured improved breed as parent male. Even though the strategy may not be the optimal solution, it is manageable and can be applied till a better strategy has been developed. Furthermore, the proposed strategy provides optimum opportunities for parent farms to be viable operations, because the parent hens will have a high genetic potential for producing hatching eggs with a low feed cost when kept in confinement and provide with balanced feed. (This strategy is not applied in Bangladesh)

The main constraint in implementing the breeding strategy is the low level of biosecurity (conditions which minimise the health risk) at that the Government Poultry Farms intended to be used as multiplication units and with a central breeding farm as supplier of the parent stocks. The farms are not designed to use an all-in -all-out system and the hatchery is located close to the chicken houses. This problem has not been solved yet and in the meantime the NGOs develop their own ways of distribution chickens.

Present Breeding Plans

DLS is in the process of establishing a separate breeding farm operating as a grandparent farm for producing parents to SONALI chickens at 6 of the Government's hatchery farms.

There will be 2,500 Fayomi hens and 500 RIR hens as grandparent. The grandparent population will be reproduced from the pure breeds with some selection pressure on egg size and age at maturity.

Even though the breeding goals are defined, good scavenging and survival traits, a method to record such traits and use them in a selection index have to be developed.

Lessons learned in formulation and implementation of a breeding strategy.

1. The research base for breeding activities related to semi-scavenging or scavenging conditions are very limited;
2. Government poultry farms are usually designed to carry out a number of activities and biosecurity has in this respect a low priority;
3. A dissemination structure in which biosecurity has a high priority is a must due to the direct link from breeding to all the endusers. It is very difficult to integrate existing Government farms into such a system;
4. Politically it is difficult to implement a system in which due consideration is given both to the reproduction- and multiplication links and to the end users;

5. The reproduction links and the hatcheries are more powerful than the end users in setting the breeding goals;
6. Research institutions in the developing countries are too little involved in developing breeding activities to be used in their own county;
7. To formulate and implement breeding strategies is a long process and take at least 5 years. Consequently, a dissemination system with high biosecurity has to be developed and implemented as the first step and simultaneously the breeding programme can be developed.

Reference

Aman, Jalil(1986) Personal communication

Fattah, Kazi Abdul(1999). Poultry as a Tool in Poverty Eradication and Promotion of Gender Equality. Proceeding of a Workshop: Editors, Frands Dolberg and Poul Henning Petersen.
<http://www.husdyr.kvl.dk/htm/php/tune.htm>

Jensen, Hans Askov (1996). Semi-Scavenging Poultry Flock. Proceeding of a Workshop: Editors, Frands Dolberg and Poul Henning Petersen.
<http://www.husdyr.kvl.dk/htm/php/tune.htm>

Jensen, Hans Askov (1996a). Semi-Scavenging Model for Rural Poultry Holding. Proceedings of XX Worlds Poultry Congress, New Delhi, India. Volume-1.

Moav,R and W.G.Hill (1966). Specialized sire and dam lines. Selection within lines. Anim. Prod. 8,375-90.

Rahman, Mahfuzar, Poul Sorensen, Hans Askov Jensen and Frands Dolberg(1996).Exotic Hens Under Semi Scavenging Conditions in Bangladesh.
<http://www.cipav.org.co/lrrd/lrrd9/3/bang931.htm>

Rahman, Mahfuzar, N. Islam, N.R.Sarker and M.M. Islam (1996) Effect of Supplementary Feeding on Production Performance of RIR, Fayoumi and their Crossbred Chicken in Rural Bangladesh. Bangladesh Journal of Livestock Research, Volume 5 – 1998.

Saleque,Md,A. and Mustafa Shams(1996). Landless Women and Poultry: The BRAC Model in Bangladesh. Proceeding of a Workshop: Editors, Frands Dolberg and Poul Henning Petersen.
<http://www.husdyr.kvl.dk/htm/php/tune.htm>

Saleque, Md.A. (1999). Scaling-up: Critical Factors in Leadership, Management, Human Resource Development and Institution Building in going from pilot project to large scale implementation. Proceeding of a Workshop: Editors, Frands Dolberg and Poul Henning Petersen.
<http://www.husdyr.kvl.dk/htm/php/tune.htm>